


# Catalogo dei riscaldatori ULTRAMAX con misure in pollici



**DISPONIBILI IN STOCK**

Tutte le ULTRAMAX in stock sono disponibili semilavorate, pronte per essere personalizzate secondo le esigenze del cliente



| Ø  | L                       | W/230V     | W/cm <sup>2</sup> | N° catalogo |
|--|-------------------------|------------|-------------------|-------------|
| <b>1/4"</b><br>6,35 mm<br>-0,03<br>-0,05 | 1"                      | 75         | 25                | 26352575    |
|  | mm 25,4<br>Peso gr. 6   | 100        | 33                | 263525100   |
|  |                         | 150        | 50                | 263525150   |
|  |                         | 175        | 58                | 263525175   |
|  |                         | 1" 1/2     | 75                | 14          |
|  | mm 38,1<br>Peso gr. 8   | 100        | 19                | 263538100   |
|  |                         | 125        | 24                | 263538125   |
|  |                         | 150        | 29                | 263538150   |
|  |                         | 175        | 34                | 263538175   |
|  |                         | 200        | 38                | 263538200   |
|  |                         | 250        | 48                | 263538250   |
|  | 2"                      | 100        | 13                | 263550100   |
| mm 50,8<br>Peso gr. 10                   |                         | 125        | 16                | 263550125   |
|  |                         | 150        | 20                | 263550150   |
|  |                         | 175        | 23                | 263550175   |
|  |                         | 200        | 26                | 263550200   |
|  |                         | 250        | 34                | 263550250   |
|  | 300                     | 38         | 263550300         |             |
| 2" 1/2                                   | 100                     | 10         | 263563100         |             |
|  | mm 63,5<br>Peso gr. 11  | 125        | 13                | 263563125   |
|  |                         | 150        | 15                | 263563150   |
|  |                         | 175        | 18                | 263563175   |
|  |                         | 200        | 20                | 263563200   |
|  |                         | 250        | 25                | 263563250   |
| 300                                      |                         | 30         | 263563300         |             |
| 3"                                       | 100                     | 8          | 263576100         |             |
|  | mm 76,2<br>Peso gr. 13  | 150        | 12                | 263576150   |
|  |                         | 175        | 14                | 263576175   |
|  |                         | 200        | 16                | 263576200   |
|  |                         | 250        | 20                | 263576250   |
|  |                         | 300        | 24                | 263576300   |
| 400                                      |                         | 32         | 263576400         |             |
| 3" 1/2                                   | 150                     | 10         | 263588150         |             |
|  | mm 88,9<br>Peso gr. 15  | 200        | 13                | 263588200   |
|  |                         | 250        | 16                | 263588250   |
|  |                         | 300        | 20                | 263588300   |
|  |                         | 4"         | 125               | 7           |
| mm 101,6<br>Peso gr. 17                  |                         |            | 150               | 9           |
|  | 175                     |            | 10                | 2635101175  |
|  | 200                     |            | 11                | 2635101200  |
|  | 250                     |            | 14                | 2635101250  |
|  | 300                     | 17         | 2635101300        |             |
| 350                                      | 19                      | 2635101350 |                   |             |
| 5"                                       | 150                     | 7          | 2635127150        |             |
|  | mm 127<br>Peso gr. 21   | 200        | 9                 | 2635127200  |
|  |                         | 250        | 11                | 2635127250  |
|  |                         | 300        | 13                | 2635127300  |
|  |                         | 350        | 15                | 2635127350  |
| 400                                      |                         | 18         | 2635127400        |             |
| 6"                                       | 150                     | 5          | 2635152150        |             |
|  | mm 152,4<br>Peso gr. 25 | 200        | 7                 | 2635152200  |
|  |                         | 300        | 11                | 2635152300  |
|  |                         | 350        | 13                | 2635152350  |
|  |                         | 400        | 15                | 2635152400  |
|  |                         | 500        | 18                | 2635152500  |


| Ø  | L                       | W/230V    | W/cm <sup>2</sup> | N° catalogo |
|--|-------------------------|-----------|-------------------|-------------|
| <b>3/8"</b><br>9,52 mm<br>-0,04<br>-0,07 | 1"                      | 75        | 17                | 2952575     |
|  | mm 25,4<br>Peso gr. 11  | 100       | 22                | 29525100    |
|  |                         | 150       | 33                | 29525150    |
|  |                         | 200       | 44                | 29525200    |
|  |                         | 1" 1/2    | 100               | 14          |
|  | mm 38,1<br>Peso gr. 15  | 125       | 17                | 29538125    |
|  |                         | 150       | 21                | 29538150    |
|  |                         | 200       | 28                | 29538200    |
|  |                         | 250       | 35                | 29538250    |
|  |                         | 300       | 42                | 29538300    |
|  |                         | 2"        | 100               | 9           |
|  | mm 50,8<br>Peso gr. 19  | 125       | 11                | 29550125    |
| 150                                      |                         | 14        | 29550150          |             |
| 175                                      |                         | 16        | 29550175          |             |
| 200                                      |                         | 18        | 29550200          |             |
| 250                                      |                         | 22        | 29550250          |             |
| 300                                      |                         | 27        | 29550300          |             |
| 400                                      | 36                      | 29550400  |                   |             |
| 500                                      | 45                      | 29550500  |                   |             |
| 2" 1/2                                   | 100                     | 7         | 29563100          |             |
|  | mm 63,5<br>Peso gr. 21  | 125       | 8                 | 29563125    |
|  |                         | 150       | 10                | 29563150    |
|  |                         | 200       | 14                | 29563200    |
|  |                         | 250       | 17                | 29563250    |
|  |                         | 300       | 20                | 29563300    |
| 350                                      |                         | 24        | 29563350          |             |
| 400                                      | 27                      | 29563400  |                   |             |
| 3"                                       | 150                     | 8         | 29576150          |             |
|  | mm 76,2<br>Peso gr. 22  | 200       | 11                | 29576200    |
|  |                         | 250       | 14                | 29576250    |
|  |                         | 300       | 16                | 29576300    |
|  |                         | 400       | 22                | 29576400    |
|  |                         | 500       | 27                | 29576500    |
| 600                                      |                         | 33        | 29576600          |             |
| 3" 1/2                                   | 250                     | 11        | 29588250          |             |
|  | mm 88,9<br>Peso gr. 26  | 300       | 14                | 29588300    |
|  |                         | 350       | 16                | 29588350    |
|  |                         | 400       | 18                | 29588400    |
|  |                         | 500       | 22                | 29588500    |
| 4"                                       |                         | 150       | 6                 | 29510150    |
|  | mm 101,6<br>Peso gr. 34 | 200       | 8                 | 295101200   |
|  |                         | 250       | 10                | 295101250   |
|  |                         | 300       | 12                | 295101300   |
|  |                         | 400       | 15                | 295101400   |
|  |                         | 500       | 19                | 295101500   |
| 600                                      |                         | 23        | 295101600         |             |
| 750                                      | 29                      | 295101750 |                   |             |
| 5"                                       | 200                     | 6         | 295127200         |             |
|  | mm 127<br>Peso gr. 43   | 250       | 8                 | 295127250   |
|  |                         | 300       | 9                 | 295127300   |
|  |                         | 400       | 12                | 295127400   |
|  |                         | 500       | 15                | 295127500   |
|  |                         | 800       | 24                | 295127800   |
| 1000                                     |                         | 30        | 2951271000        |             |

# Catalogo dei riscaldatori ULTRAMAX con misure in pollici



DISPONIBILI IN STOCK

Tutte le ULTRAMAX in stock sono disponibili semilavorate, pronte per essere personalizzate secondo le esigenze del cliente



| Ø  | L  | W/230V                           | W/cm <sup>2</sup> | N° catalogo |
|--|--|----------------------------------|-------------------|-------------|
| <b>3/8"</b><br>9.52 mm<br>-0,04<br>-0,07 | 6"<br>mm 152,4<br>Peso gr. 53            | 250                              | 6                 | 295152250   |
|  |  | 300                              | 7                 | 295152300   |
|  |  | 400                              | 10                | 295152400   |
|  |  | 500                              | 12                | 295152500   |
|  |  | 600                              | 15                | 295152600   |
|  |  | 800                              | 20                | 295152800   |
|  | 1000                                     | 25                               | 2951521000        |             |
|  | 7"<br>mm 177,8<br>Peso gr. 55            | 350                              | 7                 | 295177350   |
|  |  | 400                              | 8                 | 295177400   |
|  |  | 500                              | 10                | 295177500   |
|  |  | 600                              | 12                | 295177600   |
|  |  | 800                              | 16                | 295177800   |
| 1000                                     | 21                                       | 2951771000                       |                   |             |
| 8"<br>mm 203,2<br>Peso gr. 67            | 400                                      | 7                                | 295203400         |             |
|  | 500                                      | 9                                | 295203500         |             |
|  | 600                                      | 11                               | 295203600         |             |
|  | 800                                      | 14                               | 295203800         |             |
|  | 1000                                     | 18                               | 2952031000        |             |
|  | <b>1/2"</b><br>12,7 mm<br>-0,05<br>-0,08 | 1 1/2"<br>mm 38,1<br>Peso gr. 22 | 125               | 14          |
| 150                                      |  |                                  | 16                | 212738150   |
| 200                                      |  |                                  | 22                | 212738200   |
| 250                                      |  |                                  | 27                | 212738250   |
| 300                                      |  |                                  | 33                | 212738300   |
| 2"<br>mm 50,8<br>Peso gr. 26             |  | 150                              | 10                | 212750150   |
|  |  | 200                              | 13                | 212750200   |
|  |  | 250                              | 16                | 212750250   |
|  |  | 300                              | 20                | 212750300   |
|  |  | 400                              | 26                | 212750400   |
| 2" 1/2<br>mm 63,5<br>Peso gr. 30         |  | 150                              | 8                 | 212763150   |
|  |  | 250                              | 13                | 212763250   |
|  |  | 300                              | 16                | 212763300   |
|  |  | 400                              | 21                | 212763400   |
|  |  | 500                              | 27                | 212763500   |
| 3"<br>mm 76,2<br>Peso gr. 40             |  | 200                              | 8                 | 212776200   |
|  |  | 250                              | 10                | 212776250   |
|  |  | 300                              | 13                | 212776300   |
|  | 400                                      | 17                               | 212776400         |             |
|  | 500                                      | 21                               | 212776500         |             |
| 600                                      | 25                                       | 212776600                        |                   |             |
| 750                                      | 31                                       | 212776750                        |                   |             |
| 3" 1/2<br>mm 88,9<br>Peso gr. 45         | 250                                      | 9                                | 212788250         |             |
|  | 300                                      | 10                               | 212788300         |             |
|  | 350                                      | 12                               | 212788350         |             |
|  | 500                                      | 17                               | 212788500         |             |
|  | 750                                      | 26                               | 212788750         |             |
| 4"<br>mm 101,6<br>Peso gr. 50            | 250                                      | 7                                | 2127101250        |             |
|  | 300                                      | 9                                | 2127101300        |             |
|  | 350                                      | 10                               | 2127101350        |             |
|  | 400                                      | 12                               | 2127101400        |             |
|  | 500                                      | 15                               | 2127101500        |             |
|  | 600                                      | 18                               | 2127101600        |             |
|  | 800                                      | 24                               | 2127101800        |             |
|  | 1000                                     | 30                               | 21271011000       |             |
| 5"<br>mm 127<br>Peso gr. 63              | 300                                      | 7                                | 2127127300        |             |
|  | 350                                      | 8                                | 2127127350        |             |
|  | 400                                      | 9                                | 2127127400        |             |
|  | 500                                      | 11                               | 2127127500        |             |
|  | 600                                      | 14                               | 2127127600        |             |
|  | 750                                      | 17                               | 2127127750        |             |
|  | 900                                      | 20                               | 2127127900        |             |
|  | 1000                                     | 23                               | 21271271000       |             |


| Ø   | L                                | W/230V      | W/cm <sup>2</sup> | N° catalogo |
|---|----------------------------------|-------------|-------------------|-------------|
| <b>1/2"</b><br>12,7 mm<br>-0,05<br>-0,08  | 6"<br>mm 152,4<br>Peso gr. 78    | 300         | 6                 | 2127152300  |
|   |                                  | 400         | 7                 | 2127152400  |
|   |                                  | 500         | 9                 | 2127152500  |
|   |                                  | 600         | 11                | 2127152600  |
|   |                                  | 750         | 14                | 2127152750  |
|   |                                  | 850         | 16                | 2127152850  |
|   | 1000                             | 19          | 21271521000       |             |
|   | 7"<br>mm 177,8<br>Peso gr. 88    | 500         | 8                 | 2127177500  |
|   |                                  | 600         | 9                 | 2127177600  |
|   |                                  | 800         | 12                | 2127177800  |
| 1000                                      |                                  | 15          | 21271771000       |             |
| 8"<br>mm 203,2<br>Peso gr. 99             |                                  | 500         | 7                 | 2127203500  |
|   | 800                              | 11          | 2127203800        |             |
|   | 1000                             | 13          | 21272031000       |             |
|   | 1500                             | 20          | 21272031500       |             |
|   | 2000                             | 27          | 21272032000       |             |
| 9"<br>mm 228,6<br>Peso gr. 117            | 500                              | 6           | 2127228500        |             |
|   | 600                              | 7           | 2127228600        |             |
|   | 750                              | 9           | 2127228750        |             |
|   | 1000                             | 12          | 21272281000       |             |
|   | 1200                             | 14          | 21272281200       |             |
|   | 1500                             | 18          | 21272281500       |             |
| 10"<br>mm 254<br>Peso gr. 130             | 500                              | 5           | 2127254500        |             |
|   | 750                              | 8           | 2127254750        |             |
|   | 1000                             | 11          | 21272541000       |             |
|   | 1200                             | 13          | 21272541200       |             |
|   | 1500                             | 16          | 21272541500       |             |
|   | 2000                             | 21          | 21272542000       |             |
| 12"<br>mm 304,8<br>Peso gr. 149           | 600                              | 5           | 2127304600        |             |
|   | 800                              | 7           | 2127304800        |             |
|   | 1000                             | 9           | 21273041000       |             |
|   | 1500                             | 13          | 21273041500       |             |
|   | 2000                             | 17          | 21273042000       |             |
| <b>5/8"</b><br>15,87 mm<br>-0,05<br>-0,08 | 2"<br>mm 50,8<br>Peso gr. 42     | 200         | 11                | 215850200   |
|   |                                  | 300         | 17                | 215850300   |
|   |                                  | 500         | 28                | 215850500   |
|   | 2" 1/2<br>mm 63,5<br>Peso gr. 50 | 175         | 8                 | 215863175   |
|   |                                  | 250         | 11                | 215863250   |
|   |                                  | 300         | 14                | 215863300   |
|   |                                  | 400         | 18                | 215863400   |
|   |                                  | 500         | 23                | 215863500   |
|   | 750                              | 34          | 215863750         |             |
|   | 3"<br>mm 76,2<br>Peso gr. 63     | 250         | 9                 | 215876250   |
|   |                                  | 300         | 11                | 215876300   |
|   |                                  | 400         | 14                | 215876400   |
| 500                                       |                                  | 18          | 215876500         |             |
| 600                                       |                                  | 21          | 215876600         |             |
| 750                                       |                                  | 26          | 215876750         |             |
| 1000                                      | 35                               | 2158761000  |                   |             |
| 4"<br>mm 101,6<br>Peso gr. 77             | 300                              | 7           | 2158101300        |             |
|   | 400                              | 10          | 2158101400        |             |
|   | 500                              | 12          | 2158101500        |             |
|   | 600                              | 14          | 2158101600        |             |
|   | 750                              | 18          | 2158101750        |             |
|   | 1000                             | 24          | 21581011000       |             |
| 1200                                      | 29                               | 21581011200 |                   |             |

# Catalogo dei riscaldatori ULTRAMAX con misure in pollici



DISPONIBILI IN STOCK

Tutte le ULTRAMAX in stock sono disponibili semilavorate, pronte per essere personalizzate secondo le esigenze del cliente



| Ø   | L                              | W/230V | W/cm <sup>2</sup> | N° catalogo |
|---|--------------------------------|--------|-------------------|-------------|
| <b>5/8"</b><br>15,87 mm<br>-0,05<br>-0,08 | 5"<br>mm 127<br>Peso gr. 100   | 400    | 7                 | 2158127400  |
|   |                                | 500    | 9                 | 2158127500  |
|   |                                | 600    | 11                | 2158127600  |
|   |                                | 800    | 15                | 2158127800  |
|   |                                | 1000   | 19                | 21581271000 |
|   | 6"<br>mm 152,4<br>Peso gr. 118 | 1300   | 24                | 21581271300 |
|   |                                | 400    | 6                 | 2158152400  |
|   |                                | 600    | 9                 | 2158152600  |
|   |                                | 800    | 12                | 2158152800  |
|   |                                | 1000   | 15                | 21581521000 |
|   | 7"<br>mm 177,8<br>Peso gr. 136 | 1500   | 23                | 21581521500 |
|   |                                | 500    | 6                 | 2158177500  |
| 750                                       |                                | 9      | 2158177750        |             |
| 1000                                      |                                | 13     | 21581771000       |             |
| 1500                                      |                                | 19     | 21581771500       |             |
| 8"<br>mm 203,2<br>Peso gr. 156            | 500                            | 5      | 2158203500        |             |
|   | 750                            | 8      | 2158203750        |             |
|   | 1000                           | 11     | 21582031000       |             |
|   | 1200                           | 13     | 21582031200       |             |
|   | 1500                           | 16     | 21582031500       |             |
| 9"<br>mm 228,6<br>Peso gr. 174            | 2000                           | 22     | 21582032000       |             |
|   | 500                            | 5      | 2158228500        |             |
|   | 750                            | 7      | 2158228750        |             |
|   | 1000                           | 10     | 21582281000       |             |
|   | 1300                           | 13     | 21582281300       |             |
| 10"<br>mm 254<br>Peso gr. 192             | 1600                           | 15     | 21582281600       |             |
|   | 750                            | 6      | 2158254750        |             |
|   | 1000                           | 9      | 21582541000       |             |
|   | 1300                           | 11     | 21582541300       |             |
|   | 1600                           | 14     | 21582541600       |             |
| 12"<br>mm 304,8<br>Peso gr. 235           | 2000                           | 17     | 21582542000       |             |
|   | 750                            | 5      | 2158304750        |             |
|   | 1000                           | 7      | 21583041000       |             |
|   | 1500                           | 11     | 21583041500       |             |
|   | 1800                           | 13     | 21583041800       |             |
| 14"<br>mm 355,6<br>Peso gr. 269           | 2000                           | 14     | 21583042000       |             |
|   | 2500                           | 18     | 21583042500       |             |
|   | 1000                           | 6      | 21583551000       |             |
|   | 1600                           | 10     | 21583551600       |             |
|   | 2000                           | 12     | 21583552000       |             |
| 16"<br>mm 406,4<br>Peso gr. 306           | 2500                           | 15     | 21583552500       |             |
|   | 1000                           | 5      | 21584061000       |             |
|   | 1600                           | 8      | 21584061600       |             |
|   |                                |        |                   | 21584062000 |
|   |                                |        |                   | 21584062500 |

| Ø   | L                              | W/230V | W/cm <sup>2</sup> | N° catalogo |
|---|--------------------------------|--------|-------------------|-------------|
| <b>3/4"</b><br>19,05 mm<br>-0,06<br>-0,10 | 3"<br>mm 76,2<br>Peso gr. 95   | 300    | 9                 | 21976300    |
|   |                                | 400    | 12                | 21976400    |
|   |                                | 500    | 15                | 21976500    |
|   | 4"<br>mm 101,6<br>Peso gr. 118 | 400    | 8                 | 219101400   |
|   |                                | 600    | 12                | 219101600   |
|   |                                | 800    | 16                | 219101800   |
|   |                                | 1000   | 20                | 2191011000  |
|   | 5"<br>mm 127<br>Peso gr. 153   | 400    | 6                 | 219127400   |
|   |                                | 500    | 8                 | 219127500   |
|   |                                | 1000   | 16                | 2191271000  |
|   | 6"<br>mm 152,4<br>Peso gr. 182 | 1500   | 24                | 2191271500  |
|   |                                | 400    | 5                 | 219152400   |
| 600                                       |                                | 8      | 219152600         |             |
| 1000                                      |                                | 13     | 2191521000        |             |
| 8"<br>mm 203,2<br>Peso gr. 230            | 1500                           | 19     | 2191521500        |             |
|   | 500                            | 5      | 219203500         |             |
|   | 600                            | 6      | 219203600         |             |
|   | 1000                           | 9      | 2192031000        |             |
| 10"<br>mm 254<br>Peso gr. 286             | 2000                           | 18     | 2192032000        |             |
|   | 800                            | 6      | 219254800         |             |
|   | 1000                           | 7      | 2192541000        |             |
| 12"<br>mm 304,8<br>Peso gr. 341           | 2000                           | 14     | 2192542000        |             |
|   | 800                            | 5      | 219304800         |             |
|   | 1000                           | 6      | 2193041000        |             |
|   | 1500                           | 9      | 2193041500        |             |
| 14"<br>mm 355,6<br>Peso gr. 412           | 2000                           | 12     | 2193042000        |             |
|   | 2500                           | 15     | 2193042500        |             |
|   | 1500                           | 8      | 2193551500        |             |
|   | 2000                           | 10     | 2193552000        |             |
|   |                                |        |                   | 2193552500  |
|   |                                |        |                   | 2193553000  |
|   |                                |        |                   | 2193553500  |